

Soils Map





State: Minnesota County: **Nobles**

15-102N-43W Location: Township: Westside

Acres: 141.18 9/13/2024 Date:







Soils data provided by USDA and NRCS.

<u> </u>	To an exe	Τ.	In	In	In 1 01 +	B 1 0 2 1 1	* NOODLO 1
Code	Soil Description	Acres	Percent of field	PI Legend	Non-Irr Class *c	Productivity Index	*n NCCPI Soybeans
РЗА	Biscay silty clay loam, 0 to 2 percent slopes, occasionally flooded	57.87	41.0%		llw	64	67
P48A	Allendorf silty clay loam, 0 to 2 percent slopes	30.62	21.7%		lls	75	74
1015A	Havelock clay loam, 0 to 2 percent slopes, frequently flooded	14.28	10.1%		Vw	20	17
P36A	A Talcot silty clay loam, 0 to 2 percent slopes, occasionally flooded		9.9%		llw	66	71
P7A	Comfrey clay loam, 0 to 2 percent slopes, occasionally flooded		6.4%		llw	82	79
P12B	Everly silty clay loam, 2 to 6 percent slopes	4.39	3.1%		lle	93	72
P29A	Rushmore silty clay loam, 0 to 2 percent slopes		2.5%		llw	94	85
P48B	Allendorf silty clay loam, 2 to 6 percent slopes		1.9%		lle	74	55
P56A	Kanaranzi silt loam, 0 to 2 percent slopes		1.8%		IIIs	57	48
P56B	6B Kanaranzi silt loam, 2 to 6 percent slopes 0.95 0.7		0.7%		IIIe	54	47
P33A	Spillco silt loam, 0 to 2 percent slopes, occasionally flooded	0.48	0.3%		lw	83	81
P30B	Sac silty clay loam, loam substratum, 2 to 5 percent slopes		0.3%		lle	95	77
P38B	Thurman sandy loam, 2 to 6 percent slopes 0.30		0.2%		Ille	47	34
P50B	Everly-Kanaranzi complex, 2 to 6 percent slopes	0.15	0.1%		lle	83	66
•			Weight	ted Average	2.33	65.1	*n 64.5

^{*}n: The aggregation method is "Weighted Average using all components" *c: Using Capabilities Class Dominant Condition Aggregation Method

	Symbol	Name	Description
--	--------	------	-------------



	Symbol	Name	Description
00	GRA	Gravelly spot	A spot where the surface layer has more than 35 percent, by volume, rock fragments that are mostly less than 3 inches in diameter in an area that has less than 15 percent rock fragments. Typically 0.5 to 2 acres.